

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--------------------|------------------|---------|---------------------|
| L1 | 2 | ("7027397" "6603765").pn. | US-PGPUB; USPAT | OR | ON | 2009/06/23 08:23 |
| S1 | 73 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) | US-PGPUB; USPAT | OR | ON | 2006/07/24 13:55 |
| S2 | 0 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) and (random\$3 with path) | US-PGPUB; USPAT | OR | ON | 2006/07/24 15:35 |
| S3 | 2 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) and (random\$3 with route) | US-PGPUB; USPAT | OR | ON | 2006/07/24 15:35 |
| S4 | 8 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) and (random\$3 with select) | US-PGPUB; USPAT | OR | ON | 2006/07/24 13:58 |
| S5 | 1 | (@ad<"20020115" or @rlad<"20020115") and "4893304".pn. | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:33 |
| S6 | 9899 | (@ad<"20020115" or @rlad<"20020115") and (load adj balanc\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:03 |
| S7 | 28 | (@ad<"20020115" or @rlad<"20020115") and (load adj balanc\$3) and (path with select\$3 with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:06 |
| S8 | 23 | (@ad<"20020115" or @rlad<"20020115") and (load adj balanc\$3) and (port with select\$3 with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:08 |
| S9 | 8111 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:08 |
| S10 | 0 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") with (port with start with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:09 |

| | | | | | | |
|-----|----|--|-----------------|----|----|------------------|
| S11 | 2 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") with (port with first with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:10 |
| S12 | 2 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") same (port with first with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:10 |
| S13 | 21 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") and (port with first with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:13 |
| S14 | 58 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") and (port with (choos\$3 or select\$3 or pick\$3) with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:13 |
| S15 | 11 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") same (port with (choos\$3 or select\$3 or pick\$3) with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:30 |
| S16 | 2 | (@ad<"20020115" or @rlad<"20020115") and (round adj robin or "round-robin") same (port near (choos\$3 or select\$3 or pick\$3) with random\$3) | US-PGPUB; USPAT | OR | ON | 2006/07/24 14:30 |
| S17 | 0 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) and (random\$3 with port) | US-PGPUB; USPAT | OR | ON | 2006/07/24 15:35 |
| S18 | 1 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) and (port near (select\$3 or choos\$3 or pick\$3)) | US-PGPUB; USPAT | OR | ON | 2006/07/24 16:28 |
| S19 | 3 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj buffer) and (port with (select\$3 or choos\$3 or pick\$3)) | US-PGPUB; USPAT | OR | ON | 2006/07/24 16:29 |

| | | | | | | |
|-----|---|---|-----------------|----|----|------------------|
| S20 | 8 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) and (port with (select\$3 or choos\$3 or pick\$3)) | US-PGPUB; USPAT | OR | ON | 2006/07/24 16:29 |
| S21 | 6 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) and (port near (select\$3 or choos\$3 or pick\$3)) | US-PGPUB; USPAT | OR | ON | 2006/07/24 16:30 |
| S22 | 4 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) and (path near (select\$3 or choos\$3 or pick\$3)) | US-PGPUB; USPAT | OR | ON | 2006/07/24 16:31 |
| S23 | 0 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) and (assign with packet with port) | US-PGPUB; USPAT | OR | ON | 2006/07/24 16:31 |
| S24 | 1 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) and (assign\$3 with packet with port) | US-PGPUB; USPAT | OR | ON | 2006/07/25 09:43 |
| S25 | 0 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) with preference | US-PGPUB; USPAT | OR | ON | 2006/07/25 09:43 |
| S26 | 0 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) with before | US-PGPUB; USPAT | OR | ON | 2006/07/25 09:43 |
| S27 | 7 | (@ad<"20020115" or @rlad<"20020115") and (recirculation adj (buffer or memory or queue)) with first | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:27 |
| S28 | 0 | (@ad<"20020115" or @rlad<"20020115") and (multiple with path with ((tie adj breaker) or "tie-breaker" or tiebreaker) with random\$3) | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:28 |

| | | | | | | |
|-----|----|---|-----------------|----|----|------------------|
| S29 | 37 | (@ad<"20020115" or @rlad<"20020115") and (multiple with path with (choos\$3) with random\$3) | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:32 |
| S30 | 37 | (@ad<"20020115" or @rlad<"20020115") and (multiple near path with (choos\$3) with random\$3) | US-PGPUB; USPAT | OR | ON | 2007/08/24 08:51 |
| S31 | 0 | (@ad<"20020115" or @rlad<"20020115") and (multiple near path with (choos\$3) near random\$3) | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:33 |
| S32 | 0 | (@ad<"20020115" or @rlad<"20020115") and (multiple near path with (choos\$3) near2 random\$3) | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:33 |
| S33 | 0 | (@ad<"20020115" or @rlad<"20020115") and (multiple near path with (choos\$3) near3 random\$3) | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:33 |
| S34 | 10 | (@ad<"20020115" or @rlad<"20020115") and (multiple near path with (select\$3) with random\$3) | US-PGPUB; USPAT | OR | ON | 2007/01/08 14:35 |
| S35 | 24 | (@ad<"20020115" or @rlad<"20020115") and (switch with path with select \$3 with random) | US-PGPUB; USPAT | OR | ON | 2007/08/24 08:51 |
| S36 | 7 | ("7009976" "7016305" "6603765" "6934760" "6832261" "7092393" "6967926").pn. | US-PGPUB; USPAT | OR | ON | 2008/12/10 09:56 |

6/ 23/ 09 8:24:18 AM

C:\ Documents and Settings\ jmattis\ My Documents\ EAST\ Workspaces\ 10051728.wsp